

ICS 13.040.40

Z60



DB11

		II
		III
1		1
2		1
3		1
4		3
5		4
6		5
A	2017 3 31	
		7

4.1.4

GB/T1.1-2009

DB11/139-2007

DB11/ 139-2007

—
—
—
—
—

2015 5 13

3.1

boiler

0.7MW

1t/h

3.2

utility boiler

3.3

industrial boiler

3.4

direct-fired absorption water chiller(heater)

3.5

gas-fired heating and hot water combi-boiler

3.6

standard condition

273K

101325Pa

“ ”

3.7

O₂ content

3.8

continuous emissions monitoring system

/

3.9

□ ¥ stack height

3.10

| §

”

new and in-use boiler

	0.2
--	-----

4.2 1 ° » ¼ » ½ ¾ ¿ À Á ® ¯

SCR 2.5mg/m³
SNCR 8mg/m³

4.3 □ ¥

GB 13271 0.7MW
8m 0.7MW 15m

5

5.1 Â Ã Ä Å

DB11/ 1195

5.2 Æ Ç

GB 5468

5.3 È É Ê Ë

5.3.1 È Æ Ë

GB/T 16157 HJ/T 397 HJ/T 55

5.3.2 È É Ê Ë

4

² 4 È É Ê Ë

1		GB 5468	HJ/T 76
		GB/T 16157 a	
2		HJ/T 57 HJ 629	
3		HJ/T 42 HJ/T 43 HJ 692 HJ 693 GB 25034 b	
4		HJ 543	-
5		HJ/T 398	-

6.1

6.2

× Ø ù

× Ø

α © a « Ú È ” 2017 Û 3 Ü 31 Ý Þ ¿ È ° ±

² ù.1 α © a « Ú È ” 2017 Û 3 Ü 31 Ý Þ ¿ È ³ ¥ ° ±

	2007 9 1	2007 9 1	2007 9 1	2007 9 1
mg/m ³	20	10	30	10
mg/m ³	50	20	50	20
mg/m ³	100	100	200	150
μg/m ³	30	30	30	30
	1			